AMENDMENTS TO THE SPECIFICATION

IN THE SPECIFICATION:

On page 2, line 30, and continuing to page 5, line 6 of the present specification, please replace paragraph [0008] with the following paragraph:

[8000]

The present invention covers any of the following.

(1) 3,4-bis(1-sulfoxyalkyl)thiophene represented by formula [1] below.

(where R denotes a hydrogen atom, alkali metal atom, or alkaline earth metal atom, and n denotes an integer of 1 to 3.)

(2) 3,4-bis(1-hydroxyalkyl)thiophene represented by formula [2] below.

$$\begin{array}{c} \text{CH}_2(\text{CH}_2)_{\text{n}}\text{CH}_2\text{OH} \\ \\ \text{CH}_2(\text{CH}_2)_{\text{n}}\text{CH}_2\text{OH} \end{array}$$

(where n denotes an integer of 1 to 3.)

(3) 3,4-bis(1-sulfoxypropyl-3-yl)thiophene represented by formula [3] below.

(where R denotes a hydrogen atom, alkali metal atom, or alkaline earth metal atom.)

(4) 3,4-bis(1-hydroxypropyl-3-yl)thiophene represented by formula [4] below.

- (5) Sulfoxyalkylthiophene defined in (1) or (3) above wherein the alkali metal atom is sodium or potassium.
- (6) A process which comprises steps of reacting 3,4-bis(1-hydroxyalkyl)thiophene represented by formula [2] below

(where n denotes an integer of 1 to 3.)

with a sulfur trioxide compound to give 3,4-bis(1-sulfoxyalkyl)thiophene represented by the formula [5] below.

(where n is defined as above.)

and reacting it with an alkali metal compound or alkaline earth metal compound to give a metal salt of 3,4-bis(1-sulfoxyalkyl)thiophene represented by formula [6] below.

3 GMM/dns

(where M denotes alkali metal atom or alkaline metal atom, and n is defined as above.)

(7) A process which comprises a step of reducing 3-[4-(3-hydroxy-prop-1-ynyl)-thiophen-3-yl]-prop-2-yn-1-ol (3,4-HTPO for short hereinafter) represented by formula [7] below

to give 3,4-bis(1-hydroxy-propyl-3-yl)thiophene (3,4-BHT for short hereinafter) represented by formula [4] below.

- (8) The process for producing a metal salt of sulfoxyalkylthiophene as defined in (6) above, wherein the alkali metal atom is sodium or potassium.
- (9) The process for producing a metal salt of sulfoxyalkylthiophene as defined in (6) above, wherein the sulfur trioxide compound is sulfur trioxide, sulfur trioxide·1,4-dioxane complex, sulfur trioxide·DMF (N,N-dimethylformamide) complex, or sulfur trioxide·pyridine complex.

4

GMM/dns

Docket No.: 0171-1277PUS1

AMENDMENTS TO THE CLAIMS

1. (Original) 3,4-bis(1-sulfoxyalkyl)thiophene represented by formula [1] below:

$$CH_2(CH_2)_nCH_2OSO_3R$$
 $CH_2(CH_2)_nCH_2OSO_3R$

(where R denotes a hydrogen atom, alkali metal atom, or alkaline earth metal atom, and n denotes an integer of 1 to 3.)

2. (Original) 3,4-bis(1-hydroxyalkyl)thiophene represented by formula [2] below:

(where n denotes an integer of 1 to 3.)

3. (Original) 3,4-bis(1-sulfoxypropyl-3-yl)thiophene represented by formula [3] below:

(where R denotes a hydrogen atom, alkali metal atom, or alkaline earth metal atom.)

4. (Original) 3,4-bis(1-hydroxypropyl-3-yl)thiophene represented by formula [4] below:

- 5. (Currently amended) Sulfoxyalkynylthiophene Sulfoxyalkylthiophene defined in claim 1 or 3 above wherein the alkali metal atom is sodium or potassium.
- 6. (Original) A process which comprises steps of reacting
 3,4-bis(1-hydroxyalkyl)thiophene represented by formula [2] below:

(where n denotes an integer of 1 to 3);

with a sulfur trioxide compound to give 3,4-bis(1-sulfoxyalkyl)thiophene represented by formula [5] below:

(where n is defined as above);

and reacting it with an alkali metal compound or alkaline earth metal compound to give a metal salt of 3,4-bis(1-sulfoxyalkyl)thiophene represented by formula [6] below:

$$\begin{array}{c} \text{CH}_2(\text{CH}_2)_n\text{CH}_2\text{OSO}_3\text{M} \\ \\ \text{CH}_2(\text{CH}_2)_n\text{CH}_2\text{OSO}_3\text{M} \end{array} \hspace{3cm} \begin{array}{c} \text{[6]} \end{array}$$

(where M denotes alkali metal atom or alkaline earth metal atom and n is defined as above.)

7. (Original) A process which comprises a step of reducing 3-[4-(3-hydroxy-prop-1-ynyl)-thiophen-3-yl]-prop-2-yn-1-ol represented by formula [7]:

to give 3,4-bis(1-hydroxy-propyl-3-yl)thiophene represented by formula [4] below.

- 8. (Currently amended) The process for producing a metal salt of sulfoxyalkynylthiophene sulfoxyalkylthiophene as defined in claim 6, wherein the alkali metal atom is sodium or potassium.
- 9. (Currently amended) The process for producing a metal salt of sulfoxyalkynylthiophene sulfoxyalkylthiophene as defined in claim 6, wherein the sulfur trioxide compound is sulfur trioxide, sulfur trioxide·1,4-dioxane complex, sulfur trioxide·DMF (N,N-dimethylformamide) complex, or sulfur trioxide·pyridine complex.

Application No.: NEW Docket No.: 0171-1277PUS1

10. (New) Sulfoxyalkylthiophene defined in claim 3 above wherein the alkali metal atom is sodium or potassium.

8 GMM/dns